

## Description

The MAS capture beads kit has streptavidin beads which can be used in combination with a biotinylated probe. It is intended to be used to capture the 3' end of 10x cDNA molecules.

This is part 2 of a bundle for the MAS-Seq for Single Cell 3' kit (102-659-600), which should be sold together with MAS-Seq for 10x 3' concatenation kit (102-407-900) and SMRTbell® cleanup beads (102-158-300).

## Kit configuration & layout

### Configuration

#	Component	Part number	Qty	Color	Volume
1	MAS capture beads	102-696-500	1	Clear	80 µL
2	MAS bead binding buffer	102-696-600	1	Clear	650 µL
3	MAS bead washing buffer	102-696-700	1	Clear	1300 µL

### Layout



## Quantities

8 reactions

## Storage and handling requirements

Product should be stored between 2 to 8 °C.

Refer to protocols for additional recommendations for reagent handling.

## Shelf life

Refer to expiration date on kit label.

## Intended use

Research use only. Not for use in diagnostic procedures.

## Support

For additional product and technical information, such as safety data sheets (SDS) or procedures, visit our [website](#).

## Legal

Information in this document is subject to change without notice. PacBio assumes no responsibility for any errors or omissions in this document. Certain notices, terms, conditions and/or use restrictions may pertain to your use of PacBio products and/or third-party products. Refer to the applicable PacBio terms and conditions of sale and to the applicable license terms at [pacb.com/license](http://pacb.com/license). Pacific Biosciences, the PacBio logo, PacBio, Circulomics, Omniome, SMRT, SMRTbell, Iso-Seq, Sequel, Nanobind, and SBB are trademarks of PacBio. All other trademarks are the sole property of their respective owners.